

17 Harrison Street
 Marshalltown
 P O Box 61542
 Marshalltown 2107



Tel : (011) 688-1400 Fax : (011) 688-1556

PAGE NO.	
1 OF 1	
CLOSING DATE AND TIME	
11-May-20	16:00
Date of Issue	
30 April 2020	
RFQ VALIDITY	
60 DAYS	

INITIATING DEPARTMENT	INITIATOR
STORES- CYDNA	Wilhemina Modiselle

JWRFQPM993 - CONDUCTIVITY METER

QUOTATION REFERENCE	COLLECTIVE NO.

REQUEST FOR QUOTATION

QUOTATION VALIDITY
60 DAYS

QUOTATION REQUESTED FROM

QUOTATIONS WILL BE EVALUATED ON THE 80/20 POINT SCORING SYSTEM.80 POINTS WILL BE ALLOCATED TO PRICE AND THE REMAINING 20 POINTS WILL BE ALLOCATED FOR BBBEE AND PREFERENTIAL PROCUREMENT
 ALL SUPPLIERS RESPONDING TO QUOTATIONS SHOULD BE REGISTERED ON CENTRAL SUPPLIER DATABASE(CSD)
 JW CONTACT PERSON : Paul Mabatane Mangoale
 TEL: (011) 688 1408 Fax (011) 688 1556 Email: paul.mangoale@jwater.co.za

ITEM NO.	DISCRIPTION OF OFFERED ITEM	UOM	QTY REQUIRED	PRICE QUOTED EXCL. OF V.A.T.	DIS
	SPECIFICATION FOR CONDUCTIVITY METER		2		
	1. Conductivity meter				
	2. Large colour display (4 inch)				
	3. 2 point calibration				
	4. Automatic and manual temperature compensation				
	5. Manual cell constant input				
	6. Measuring range from 0,001µmS/cm to 199.9mS/cm				
	7. Accuracy: ± 0,5% of measured value				
	8. Calibration data display				
	9. Internal measured value memory				
	NB: All suppliers responding to Rfq's should use their own company letter head not Jw Rfq Template AND MAKE SURE THEIR EMAIL ADDRESS IS VISIBLE ON THEIR QUOTATION.				
	QUOTATION REFERENCE AS ABOVE JW....				

SUPPLIER DETAILS		CONDITIONS
OFFICIAL STAMP	AUTHORISED BY: SIGNATURE:..... DATE:.....	1. QUOTATIONS RECEIVED AFTER CLOSE OF BUSINESS ON THE CLOSING DATE WILL NOT BE ACCEPTED. 2. QUOTATIONS WITHOUT BRAND NAMES WHERE REQUIRED WILL NOT BE ACCEPTED 3. PRICES QUOTED MUST BE AS PER THE UNIT INDICATED AND BE EXCLUDED OF VAT 4 QUOTATIONS WITHOUT THE SUPPLIER'S AUTHORISED SIGNATURE WILL NOT BE ACCEPTED. 5 ACCEPTANCE OF A QUOTATION WILL BE SUBJECT TO JOHANNESBURG WATER'S SUPPLY CHAIN POLICY