

17 Harrison Street
 Marshalltown
 P O Box 61542
 Marshalltown 2107
 Tel : (011) 688-1400 Fax : (011) 688-1556



PAGE NO.	
1 of 1	
CLOSING DATE AND TIME	
23-Apr-19	16:00
Date of Issue	
16 April 2019	
RFQ VALIDITY	
60: DAYS	

INITIATING DEPARTMENT	INITIATOR
ICT Department	Lerato Phosiwa

JWRFQPM429 - SAP DMS CONTENT SERVER

QUOTATION REFERENCE	COLLECTIVE NO.
SAP DMS Content Server	
IT ERP Systems	

REQUEST FOR QUOTATION

QUOTATION VALIDITY PERIOD
60 DAYS

QUOTATIONS WILL BE EVALUATED ON THE 80/20 POINT SCORING SYSTEM.80 POINTS WILL BE ALLOCATED TO PRICE AND THE REMAINING 20 POINTS WILL BE ALLOCATED FOR BBBEE AND PREFERENTIAL PROCUREMENT
 ALL SUPPLIERS RESPONDING TO QUOTATIONS SHOULD BE REGISTERED ON CENTRAL SUPPLIER DATABASE(CSD)
 JW CONTACT PERSON: Paul Mabatane Mangoale
 TEL: (011) 688 1408 Fax (011) 688 1556 Email: paul.mangoale@jwater.co.za

ITEM NO.	DESCRIPTION	DESCRIPTION OF ITEM OFFERED	UOM	QTY REQUIRED	PRICE QUOTED EXCL. OF V.A.T.	DIS
	Problem: Our SAP DMS Content Server root Disk crashed. We have setup a completely new content server. We require MaxDB resource to assist in restoring old database.					
	Scope of Work: 1. Create an empty MaxDB database on solaris server. 2. Join old and new database data by adding them to newly created database. 3. Create backup and restore it to the new content server.					
	Special Condition Only SAP DMS and MaxDB Certified Suppliers will be evaluated.					
	For More Information contact : Pitsi Ngoetjana Contact Number : 011 688 6687					
	NB: All suppliers responding to Rfq's should use their own company letter head not Jw Rfq Template AND MAKE SURE THEIR EMAIL ADDRESS IS VISIBLE ON THEIR QUOTATION.					

SUPPLIER DETAILS		CONDITIONS
OFFICIAL STAMP	AUTHORISED BY: SIGNATURE:..... DATE:.....	1. QUOTATIONS RECEIVED AFTER CLOSE OF BUSINESS ON THE CLOSING DATE WILL NOT BE ACCEPTED. 2. QUOTATIONS WITHOUT BRAND NAMES WHERE REQUIRED WILL NOT BE ACCEPTED 3. PRICES QUOTED MUST BE AS PER THE UNIT INDICATED AND BE EXCLUDED OF VAT 4 QUOTATIONS WITHOUT THE SUPPLIER'S AUTHORISED SIGNATURE WILL NOT BE ACCEPTED. 5 ACCEPTANCE OF A QUOTATION WILL BE SUBJECT TO JOHANNESBURG WATER'S SUPPLY CHAIN POLICY