

17 Harrison Street
Marshalltown

P O Box 61542
Marshalltown 2107
Tel : (011) 688-1400 Fax : (011) 688-1556



Johannesburg Water

REQUEST FOR QUOTATION

QUOTATION DATE

PAGE NO.	
CLOSING DATE AND TIME	
31-Jan-19	16:00
Date of Issue	
24 January 2019	
VALIDITY	
: DAYS	

INITIATING DEPARTMENT	INITIATOR
Operations BWW	Dunyiswa
QUOTATION REFERENCE	COLLECTIVE NO.
JW044SL 2019 WHEELIE BINS	
QUOTATION REQUESTED FROM	

QUOTATIONS WILL BE EVALUATED ON THE 80/20 POINT SCORING SYSTEM.80 POINTS WILL BE ALLOCATED TO PRICE AND THE REMAINING 20 POINTS WILL BE ALLOCATED FOR BBBEE AND PREFERENTIAL PROCUREMENT
ALL SUPPLIERS RESPONDING TO QUOTATIONS SHOULD BE REGISTERED ON CENTRAL SUPPLIER DATABASE(CSD)

JW CONTACT PERSON:SNOWIE e-mail address:snowie.leeuw@jwater.co.za.....

TELEPHONE NUMBER:011 688 1533,FAX NO:086 511 8996

ITEM NO.	DESCRIPTION	DESCRIPTION OF ITEM OFFERED	UOM	QTY REQUIRED	PRICE QUOTED EXCL. OF V.A.T.	DIS
	Supply and delivery of wheelie bins at Northern Works					
1	240 litres wheelie bins SABS approved Full colour injection moulded bins 100% recyclable,strong and UV resistant. The colours required are to be: Blue - metal Red - hazardous Green - general / domestic Yellow - paper The bins need to be engraved with metal/hazardous/domestic and paper with a black colour.		240 litres			
				3		
				3		
				3		
				3		
2	Signage boards to be supplied and installed at the Main gates. Attached is the signage board required. 800mm x 700mm The board material should be metal.			x2		
	For more information contact Dunyiswa on 079 495 6913					
	NB:All suppliers responding to Rfq's should use their own company letter head not Jw Rfq Template					

OFFICIAL STAMP	SUPPLIER DETAILS
	AUTHORISED BY:
	SIGNATURE:.....
	DATE:.....

CONDITIONS
1. QUOTATIONS RECEIVED AFTER CLOSE OF BUSINESS ON THE CLOSING DATE WILL NOT BE ACCEPTED.
2. QUOTATIONS WITHOUT BRAND NAMES WHERE REQUIRED WILL NOT BE ACCEPTED
3. PRICES QUOTED MUST BE AS PER THE UNIT INDICATED AND BE EXCLUDED OF VAT
4 QUOTATIONS WITHOUT THE SUPPLIER'S AUTHORISED SIGNATURE WILL NOT BE ACCEPTED.
5 ACCEPTANCE OF A QUOTATION WILL BE SUBJECT TO JOHANNESBURG WATER'S SUPPLY CHAIN POLICY